THE BABY CHECKUPS GUIDE

A guide designed to help you learn about each checkup from birth to age 2



WHAT YOU CAN EXPECT FROM EACH CHECKUP

At each baby checkup, the doctor or healthcare professional may:

- Conduct a physical exam
- Check your baby's growth
- Assess your baby's developmental milestones, including the behaviors and expected skills at each age
- Administer CDC-recommended vaccinations
- Provide tips and information on how to help keep your baby healthy

Make your baby's checkups count

CDC=Centers for Disease Control and Prevention.



TOOLS TO KEEP YOUR BABY ON SCHEDULE

Count on these tools to help you stay on track with your baby's checkups and vaccinations



Personalized Vaccination Calendar

Create your own schedule with CDC-recommended vaccinations, personalized for your baby at VaccineCalendar.com

SOME QUESTIONS TO ASK

Not sure what to ask? Here are some questions you can discuss with your baby's doctor:

- Is my baby growing as expected?
- Is my baby up to date on their CDC-recommended vaccinations?
- When is my baby's next checkup?
- What milestones should I expect my baby to reach between now and their next visit?



- **Key milestone:** Startles at sound
- Vaccinations: HepB (if not already received)
- Ask about: Feedings (bottle or breastfeeding) and signs of illness



- **Key milestone:** Briefly lifting head during tummy time
- ✓ Vaccinations: HepB
- Ask about: Use of pacifiers and using vitamin D drops, if breastfeeding



- Key milestone: Turning head toward a sound
- Vaccinations: HepB RV DTaP Hib PCV13 IPV
- Ask about: Whether your baby is getting enough tummy time



- Key milestone: Rolling from tummy to back
- Vaccinations: RV DTaP Hib PCV13 IPV
- Ask about: Sleep training



- Key milestone: Sitting assisted with good head control
- Vaccinations: HepB RV DTaP Hib PCV13 IPV flu vaccine (if flu season)
- Ask about: Introducing solid foods



their doctor.

- (x) **Key milestone:** Getting into a sitting position and sitting unassisted
- Vaccinations: None, unless your child missed previous vaccines or needs a flu vaccine
- Ask about: Using toothpaste

Please refer to the CDC-recommended vaccination

Vaccination Key

HepB: hepatitis B **RV:** rotavirus vaccine

DTaP: diphtheria, tetanus, and pertussis **Hib:** *haemophilus influenzae* type b

PCV13: pneumococcal conjugate vaccine

IPV: inactivated polio vaccine
MMR: measles, mumps, and rubella

HepA: hepatitis A



- **Key milestone:** Pulling themselves up to stand and cruising
- Vaccinations: HepB Hib PCV13 IPV MMR Varicella HepA
- Ask about: Weaning your baby off bottles and pacifiers



- **Key milestone:** Understanding simple commands
- Vaccinations: HepB DTaP Hib PCV13 IPV MMR Varicella HepA
- Ask about: Handling tantrums





- (Key milestone: Running
- \bigcirc Vaccinations: HepB DTaP IPV HepA
- Ask about: Readiness signs for toilet training



- (x) **Key milestone:** Saying more than 50 words
- Ask about: Toilet training

FROM BIRTH TO AGE 2

The American Academy of Pediatrics

first 2 years. Your baby's first checkup

happens in the hospital shortly after

Some childhood vaccinations

be given over a range of time.

schedule on page 3.

require multiple doses, and may

birth. If you have any questions about

your baby's checkup schedule, talk to

(AAP) recommends you take your baby to the doctor for 10 checkups during their

COUNT ON THE CDC VACCINATION SCHEDULE TO HELP GIVE YOUR BABY A HEALTHY START


By making it to each of the checkups, you can be sure that your baby is getting the vaccinations they need to help prevent potentially life-threatening diseases. The CDC-recommended vaccination schedule helps protect children against 14 vaccine-preventable diseases by the age of 2. For more information, visit CDC.gov, your online source for childhood vaccination information.



BE SURE TO FOLLOW THE FULL CDC-RECOMMENDED VACCINATION SCHEDULE BELOW

For parents[†]: CDC-recommended immunizations for children from birth through 6 years old based on the 2021 CDC schedule

Talk with your doctor about the timing of all vaccinations, and what to do if your baby has missed one or more vaccinations





Shaded boxes indicate the vaccine is recommended to be given during shown age range.

Note: If your child misses a shot, you don't need to start over, just go back to your child's doctor for the next shot. Talk with your child's doctor if you have questions about vaccines. *Two doses given at least four weeks apart are recommended for children aged 6 months through 8 years of age who are getting an influenza (flu) vaccine for the first time and for some other children in this age group.

 $DTaP=diphtheria, tetanus, and pertussis; HepA=hepatitis A; HepB=hepatitis B; Hib=haemophilus influenzae \ type b; IPV=inactivated polio vaccine; MMR=measles, mumps, and rubella; PCV13=pneumococcal conjugate vaccine; RV=rotavirus vaccine.$

This content was adapted by Pfizer from the CDC's 2021 childhood immunization schedule.

[†]This is a resource intended for parents or caregivers; there is a more detailed healthcare professional version of the schedule available on the CDC website.



PP-PNP-USA-2272-02 © 2021 Pfizer Inc. All rights reserved. October 20

[§]Two doses of HepA vaccine are needed for lasting protection. The first dose of HepA vaccine should be given between 12 months and 23 months of age. The second dose should be given 6 months after the first dose. All children and adolescents over 24 months of age who have not been vaccinated should also receive 2 doses of HepA vaccine. If your child has any medical conditions that put him at risk for infection or is traveling outside the United States, talk to your child's doctor about additional vaccines that he or she may need.