

CHILDREN'S DOSAGE GUIDE

Always ask your healthcare professional which product is right for your child.

ACETAMINOPHEN/TYLENOL® Take every 4-6 hours as needed. Do not exceed 5 doses in 24 hours.

WEIGHT OR AGE	INFANT / CHILDREN'S SUSPENSION LIQUID 160 MG / 5 ML	CHILDREN'S SOFT CHEWABLE TABLETS 80 MG EACH	JUNIOR STRENGTH CHEWABLE TABLETS 160 MG EACH
6-11 LBS OR 0-3 MOS	1.25 ML	NOT RECOMMENDED	NOT RECOMMENDED
12-17 LBS OR 4-11 MOS	2.5 ML	NOT RECOMMENDED	NOT RECOMMENDED
18-23 LBS OR 12-23 MOS	3.75 ML	NOT RECOMMENDED	NOT RECOMMENDED
24-35 LBS OR 2-3 YRS	1 TSP OR 5ML	2 TABLETS	NOT RECOMMENDED
36-47 LBS OR 4-5 YRS	1½ TSP OR 7.5 ML	3 TABLETS	NOT RECOMMENDED
48-59 LBS OR 6-8 YRS	2 TSP OR 10 ML	4 TABLETS	2 TABLETS
60-71 LBS OR 9-10 YRS	2½ TSP OR 12.5 ML	5 TABLETS	2½ TABLETS
72-95 LBS OR 11 YRS	3 TSP OR 15 ML	6 TABLETS	3 TABLETS
95+ LBS OR 12 YRS	NOT RECOMMENDED	NOT RECOMMENDED	4 TABLETS

*TSP = TEASPOON

CHILDREN'S DOSAGE GUIDE

Always ask your healthcare professional which product is right for your child.

BENADRYL® (ANTIHISTAMINE)

Benadryl Dosage: 0.5 mg/pound/dose (1.0 mg/kg/dose) – 6-8 hours Adults: 50 mg max
DON'T USE FOR CHILDREN UNDER 1 YEAR OF AGE UNTIL SPEAKING WITH MD OFFICE.

CHILD'S WEIGHT MORE THAN POUNDS	TOTAL AMOUNT	LIQUID 12.5 MG / 5 ML (TSP)	CHEWABLE 12.5 MG	CAPSULES 25 MG
22 LBS	10 MG	¾ TSP	NOT RECOMMENDED	NOT RECOMMENDED
33 LBS	15 MG	1 TSP	1 TABLET	NOT RECOMMENDED
44 LBS	20 MG	1½ TSP	1½ TABLETS	NOT RECOMMENDED
55 LBS	25 MG	2 TSP	2 TABLETS	1 CAPSULE
110 LBS	50 MG	4 TSP	4 TABLETS	2 CAPSULES

IBUPROFEN/MOTRIN®

Take every 6-8 hours as needed. Do not exceed 4 doses in 24 hours.
FOR CHILDREN UNDER 6 MONTHS OLD, CONSULT YOUR DOCTOR.

WEIGHT OR AGE	CHILDREN'S IBUPROFEN SUSPENSION LIQUID 100 MG / 5 ML	CHILDREN'S IBUPROFEN CHEWABLE TABLETS 50 MG EACH	JUNIOR STRENGTH IBUPROFEN CHEWABLE TABLETS 50 MG / 1.25 ML	JUNIOR STRENGTH IBUPROFEN CAPLETS 50 MG / 1.25 ML
12-17 LBS OR 4-11 MOS	2.5 ML	NOT RECOMMENDED	NOT RECOMMENDED	NOT RECOMMENDED
18-23 LBS OR 12-23 MOS	3.75 ML	NOT RECOMMENDED	NOT RECOMMENDED	NOT RECOMMENDED
24-35 LBS OR 2-3 YRS	1 TSP / 5 ML	2 TABLETS	NOT RECOMMENDED	NOT RECOMMENDED
36-47 LBS OR 4-5 YRS	1½ TSP / 7.5 ML	3 TABLETS	NOT RECOMMENDED	NOT RECOMMENDED
48-59 LBS OR 6-8 YRS	2 TSP / 10 ML	4 TABLETS	2 TABLETS	2 TABLETS
60-71 LBS OR 9-10 YRS	2½ TSP / 12.5 ML	5 TABLETS	2½ TABLETS	2½ TABLETS
72-95 LBS OR 11 YRS	3 TSP / 15 ML	6 TABLETS	3 TABLETS	3 TABLETS